


WHAT IS CLAIMED IS:

1. A compound having the formula (I):



or pharmaceutically acceptable salts thereof, wherein

NonAr is a nonaromatic 5-7 membered ring containing 1 or 2 nitrogen ring atoms or an aza bicyclo octane ring;

HetAr is a 5 or 6 membered heteroaromatic ring containing 1-3 nitrogen ring atoms, or isoxazolyl, thiazolyl, thiadiazolyl, quinolinyl, quinazolinyl, purinyl, pteridinyl, benzimidazolyl, pyrrolopyrimidinyl, or imidazopyridinyl;

HetAr is optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyc₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-;

A is -C₀₋₄alkyl-;

B is aryl(CH₂)_{0.3}-O-C(O)-, heteroaryl(CH₂)_{1.3}-O-C(O)-, indanyl(CH₂)_{0.3}-O-C(O)-, aryl(CH₂)_{1.3}-C(O)-, aryl-cyclopropyl-C(O)-, heteroaryl-cyclopropyl-C(O)-, heteroaryl(CH₂)_{1.3}-C(O)-, aryl(CH₂)_{1.3}-, heteroaryl(CH₂)_{1.3}-, aryl(CH₂)_{1.3}-NH-C(O)-, aryl(CH₂)_{1.3}-NH-C(NCN)-, aryl(CH₂)_{1.3}-SO₂-, heteroaryl(CH₂)_{1.3}-SO₂-, wherein any of the aryl or heteroaryl is optionally substituted by 1-5 substituents, each substituent independently is C₁₋₄alkyl, C₃₋₆cycloalkyl, C₁₋₄alkoxy, trifluoromethyl, bromo, fluoro, or chloro; and

X is H, OH, F, C₁₋₄alkyl, C₁₋₄alkoxy, NH₂, or X taken with an adjacent bond is =O.

2. The compound according to Claim 1, or pharmaceutically acceptable salts thereof, wherein

NonAr is a nonaromatic 6 membered ring containing 1 nitrogen ring atom; and

B is aryl(CH₂)₀₋₃-O-C(O)-, wherein the aryl is optionally substituted by 1-5 substituents, each substituent independently is C₁₋₄alkyl, C₃₋₆cycloalkyl, C₁₋₄alkoxy, trifluoromethyl, bromo, fluoro, or chloro.

3. The compound according to Claim 2, or pharmaceutically acceptable salts thereof, wherein

HetAr is a 6 membered heteroaromatic ring containing 1 nitrogen ring atom;

HetAr is optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

4. The compound according to Claim 2, or pharmaceutically acceptable salts thereof, wherein

HetAr is an isoxazolyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

5. The compound according to Claim 2, or pharmaceutically acceptable salts thereof, wherein

HetAr is a thiadiazolyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋

4alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

6. The compound according to Claim 2, or pharmaceutically acceptable salts thereof, wherein

HetAr is a 5 membered heteroaromatic ring containing 2 nitrogen ring atoms;

HetAr is optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

7. The compound according to Claim 2, or pharmaceutically acceptable salts thereof, wherein

HetAr is quinolinyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

8. The compound according to Claim 2, or pharmaceutically acceptable salts thereof, wherein

HetAr is purinyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

9. The compound according to Claim 2, or pharmaceutically acceptable salts thereof, wherein

HetAr is a 6 membered heteroaromatic ring containing 2 nitrogen ring atoms;

HetAr is optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

10. The compound according to Claim 2, or pharmaceutically acceptable salts thereof, wherein

HetAr is thiazolyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

11. The compound according to Claim 2, or pharmaceutically acceptable salts thereof, wherein

HetAr is pteridinyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

12. The compound according to Claim 2, or pharmaceutically acceptable salts thereof, wherein

HetAr is pyrrolopyrimidinyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

13. The compound according to Claim 2, or pharmaceutically acceptable salts thereof, wherein

HetAr is a imidazopyridinyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

14. The compound according to Claim 2, or pharmaceutically acceptable salts thereof, wherein

HetAr is benzimidazolyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

15. The compound according to Claim 1, or pharmaceutically acceptable salts thereof, wherein

NonAr is a nonaromatic 6 membered ring containing 1 nitrogen ring atom; and

B is aryl(CH₂)₁₋₃-SO₂-, wherein the aryl is optionally substituted by 1-5 substituents, each substituent independently is C₁₋₄alkyl, C₃₋₆cycloalkyl, C₁₋₄alkoxy, trifluoromethyl, bromo, fluoro, or chloro.

16. The compound according to Claim 15, or pharmaceutically acceptable salts thereof, wherein

HetAr is a 6 membered heteroaromatic ring containing 2 nitrogen ring atoms;

HetAr is optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl),

nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

- 5 17. The compound according to Claim 15, or pharmaceutically acceptable salts thereof, wherein

Sub AI
HetAr is quinazolinyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

- 15 18. The compound according to Claim 15, or pharmaceutically acceptable salts thereof, wherein

HetAr is purinyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

19. The compound according to Claim 15, or pharmaceutically acceptable salts thereof, wherein

25 HetAr is imidazopyridinyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

- 30 20. The compound according to Claim 15, or pharmaceutically acceptable salts thereof, wherein

HetAr is a 6 membered heteroaromatic ring containing 1 nitrogen ring atom; and

5
 10
 15
 20
 25
 30
 35

Sh
A'

HetAr is optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

21. The compound according to Claim 1, or pharmaceutically acceptable salts thereof, wherein

NonAr is a nonaromatic 5 membered ring containing 1 nitrogen ring atom; and

B is aryl(CH₂)₀₋₃-O-C(O)-, wherein the aryl is optionally substituted by 1-5 substituents, each substituent independently is C₁₋₄alkyl, C₃₋₆cycloalkyl, C₁₋₄alkoxy, trifluoromethyl, bromo, fluoro, or chloro.

22. The compound according to Claim 21, or pharmaceutically acceptable salts thereof, wherein

HetAr is a 6 membered heteroaromatic ring containing 2 nitrogen ring atoms;

HetAr is optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

23. The compound according to Claim 21, or pharmaceutically acceptable salts thereof, wherein

HetAr is pteridinyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

24. The compound according to Claim 21, or pharmaceutically acceptable salts thereof, wherein

HetAr is purinyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

25. The compound according to Claim 21, or pharmaceutically acceptable salts thereof, wherein

HetAr is benzimidazolyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

26. The compound according to Claim 1, or pharmaceutically acceptable salts thereof, wherein

NonAr is an aza bicyclo octane ring; and

B is aryl(CH₂)₀₋₃-O-C(O)-, wherein the aryl is optionally substituted by 1-5 substituents, each substituent independently is C₁₋₄alkyl, C₃₋₆cycloalkyl, C₁₋₄alkoxy, trifluoromethyl, bromo, fluoro, or chloro.

27. The compound according to Claim 26, or pharmaceutically acceptable salts thereof, wherein

HetAr is a 6 membered heteroaromatic ring containing 1 nitrogen ring atom; and

HetAr is optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

28. The compound according to Claim 26, or pharmaceutically acceptable salts thereof, wherein

HetAr is purinyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

29. The compound according to Claim 26, or pharmaceutically acceptable salts thereof, wherein

HetAr is a 6 membered heteroaromatic ring containing 2 nitrogen ring atom; and

HetAr is optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

30. The compound according to Claim 1, or pharmaceutically acceptable salts thereof, wherein

NonAr is an aza bicyclo octane ring; and

B is aryl(CH₂)₁₋₃-SO₂-, wherein the aryl is optionally substituted by 1-5 substituents, each substituent independently is C₁₋₄alkyl, C₃₋₆cycloalkyl, C₁₋₄alkoxy, trifluoromethyl, bromo, fluoro, or chloro.

31. The compound according to Claim 1, or pharmaceutically acceptable salts thereof, wherein

NonAr is a nonaromatic 6 membered ring containing 1 nitrogen ring atom; and

B is heteroaryl(CH₂)₁₋₃-C(O)-, wherein the heteroaryl is optionally substituted by 1-5 substituents, each substituent independently is C₁₋₄alkyl, C₃₋₆cycloalkyl, C₁₋₄alkoxy, trifluoromethyl, bromo, fluoro, or chloro.

32. The compound according to Claim 1, or pharmaceutically acceptable salts thereof, wherein

NonAr is a nonaromatic 6 membered ring containing 1 nitrogen ring atom; and

B is aryl(CH₂)₁₋₃-C(O)-, wherein the aryl is optionally substituted by 1-5 substituents, each substituent independently is C₁-4alkyl, C₃-6cycloalkyl, C₁-4alkoxy, trifluoromethyl, bromo, fluoro, or chloro.

33. The compound according to Claim 1, or pharmaceutically acceptable salts thereof, wherein

NonAr is a nonaromatic 6 membered ring containing 1 nitrogen ring atom; and

B is aryl-cyclopropyl-C(O)-, wherein the aryl is optionally substituted by 1-5 substituents, each substituent independently is C₁-4alkyl, C₃-6cycloalkyl, C₁-4alkoxy, trifluoromethyl, bromo, fluoro, or chloro.

34. The compound according to Claim 33, or pharmaceutically acceptable salts thereof, wherein

HetAr is pyridyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁-4alkyl, C₁-4alkoxy, C₂-4alkynyl, trifluoromethyl, hydroxy, hydroxyC₁-4alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀-4alkyl)(C₀-4alkyl), nitro, (C₁-2alkyl)(C₁-2alkyl)NCH₂-, (C₁-2alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

35. The compound according to Claim 33, or pharmaceutically acceptable salts thereof, wherein

HetAr is pyrazinyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁-4alkyl, C₁-4alkoxy, C₂-4alkynyl, trifluoromethyl, hydroxy, hydroxyC₁-4alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀-4alkyl)(C₀-4alkyl), nitro, (C₁-2alkyl)(C₁-2alkyl)NCH₂-, (C₁-2alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

36. The compound according to Claim 33, or pharmaceutically acceptable salts thereof, wherein

HetAr is pyridazinyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

37. The compound according to Claim 33, or pharmaceutically acceptable salts thereof, wherein

HetAr is pyrimidinyl optionally substituted with 1 or 2 substituents, each substituent independently is C₁₋₄alkyl, C₁₋₄alkoxy, C₂₋₄alkynyl, trifluoromethyl, hydroxy, hydroxyC₁₋₄alkyl, fluoro, chloro, bromo, iodo, cyano, methylsulfanyl, cyclopropylethynyl-, phenylethynyl-, heteroarylethynyl-, -N(C₀₋₄alkyl)(C₀₋₄alkyl), nitro, (C₁₋₂alkyl)(C₁₋₂alkyl)NCH₂-, (C₁₋₂alkyl)HNCH₂-, Si(CH₃)₃-C-, or NH₂C(O)-.

38. The compound according to Claim 1, or pharmaceutically acceptable salts thereof, wherein

NonAr is a nonaromatic 6 membered ring containing 1 nitrogen ring atom; and

B is heteroaryl(CH₂)₁₋₃-O-C(O)-, wherein the heteroaryl is optionally substituted by 1-5 substituents, each substituent independently is C₁₋₄alkyl, C₃₋₆cycloalkyl, C₁₋₄alkoxy, trifluoromethyl, bromo, fluoro, or chloro;.


39. The compound according to Claim 1, or pharmaceutically acceptable salts thereof, wherein

NonAr is a nonaromatic 6 membered ring containing 1 nitrogen ring atom; and


B is aryl(CH₂)₁₋₃-NH-C(NCN)-, wherein the aryl is optionally substituted by 1-5 substituents, each substituent independently is C₁₋₄alkyl, C₃₋₆cycloalkyl, C₁₋₄alkoxy, trifluoromethyl, bromo, fluoro, or chloro.

40. The compound according to Claim 1, wherein said compound is


Sub
A!




Sub
Al




20832Y

Sub
A1

Sub
A1


or a pharmaceutically acceptable salt thereof.

41. The compound according to Claim 1, wherein said compound is

Sub
A'

or a pharmaceutically acceptable salt thereof.


42. The compound according to Claim 1, wherein said compound is



or a pharmaceutically acceptable salt thereof.


43. The compound according to Claim 1, wherein said compound is


5.




or a pharmaceutically acceptable salt thereof.


44. The compound according to Claim 1, wherein said compound is







45. The compound according to Claim 1, wherein said compound is




Sub
Al

Sch
Al



or a pharmaceutically acceptable salt thereof.


46. The compound according to Claim 1, wherein said compound is



5

or a pharmaceutically acceptable salt thereof.

47. The compound according to Claim 1, wherein said compound is



or a pharmaceutically acceptable salt thereof.

5 48. A pharmaceutical composition comprising an inert carrier and an effective amount of a compound according to claim 1.

49. The pharmaceutical composition according to claim 48 useful for the treatment of pain.

10 50. The pharmaceutical composition according to claim 48 useful for the treatment of migraine, depression, anxiety, schizophrenia, Parkinson's disease, or stroke.

15 51. A method of treating pain comprising a step of administering to one in need of such treatment an effective amount of a compound according to claim 1.

20 52. A method of treating migraine, depression, anxiety, schizophrenia, Parkinson's disease, or stroke comprising a step of administering to one in need of such treatment an effective amount of a compound according to claim 1.